

C09C TILE DRY VERGE Bellcast

TECHNICAL DATA SHEET

The Kytun Tile Dry Verge System permanently secures tiles on gable ends and gives an attractive maintenance free finish to the roofline.

The design helps protect the edge of the roof from the elements and eliminates the possibility of lifting and damage to the roof underlay. No mortar or timber guides are required. It can be bespoke manufactured to virtually any profile to suit individual requirements.


All our bespoke dry verge is manufactured from 0.7mm high grade Aluminium.

Compatibility

45mm Version: Suitable for a maximum individual tile thickness of 20mm

55mm Version: Suitable for a maximum individual tile thickness of 25mm

65mm Version: Suitable for a maximum individual tile thickness of 30mm



C09C TILE DRY VERGE Bellcast


TECHNICAL DATA SHEET

Product Details

The Kytun Tile Dry Verge System permanently secures tiles on gable ends and gives an attractive maintenance free finish to the roofline. The design helps protect the edge of roof tiles from the elements and eliminates the possibility of lifting and damage to the roof underlay.

No mortar or timber guides are required. It can be bespoke manufactured to virtually any profile to suit individual requirements.

Tile Dry Verge
(T1) Bell Cast



Product Features


- Provides full wind uplift and rain protection.
- Extremely easy and quick to install.
- Requires no maintenance once installed.
- Can be fully customised.
- Available in a range of colours:
Black, Blue/Black, Brown & White.
- Powder coated colours also available on request.

Compatibility


Fully compatible with most tiles on the market. Suitable for brick, render and bargeboard construction.

BESPOKE VERSIONS AVAILABLE

The C09 range can be bespoke manufactured to accommodate all sizes and virtually any profile to suit individual requirements.



NWA
GROUP



U.K. Office: Brook Hse, Stock Lane,
Halifax, W. Yorkshire, HX2 7RU.

T. +44 (0)1684 293702

E. info@kytun.com W. www.kytun.com

C09C TILE DRY VERGE Bellcast

TECHNICAL DATA SHEET

Dimensions

Aluminium

Tile Dry Verge (T1) - Aluminium

| Code | Size | Colour |
|--------|---|------------------------|
| C09S | Tile Dry Verge Alu. (T1) 45mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09 | Tile Dry Verge Alu. (T1) 55mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09L | Tile Dry Verge Alu. (T1) 65mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09F | Tile Dry Verge Alu. Angle Piece 40 x 60mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09JS | Tile Dry Verge Alu. (T1) 45mm Jointer x 70mm | Blk • Blue/Blk • Brown |
| C09J | Tile Dry Verge Alu. (T1) 55mm Jointer x 70mm | Blk • Blue/Blk • Brown |
| C09JL | Tile Dry Verge Alu. (T1) 65mm Jointer x 70mm | Blk • Blue/Blk • Brown |
| C09C45 | Tile Dry Verge Alu. (T1) 45mm Bell-Cast Jointer x 500mm | Blk • Blue/Blk • Brown |
| C09C55 | Tile Dry Verge Alu. (T1) 55mm Bell-Cast Jointer x 500mm | Blk • Blue/Blk • Brown |
| C09C65 | Tile Dry Verge Alu. (T1) 65mm Bell-Cast Jointer x 500mm | Blk • Blue/Blk • Brown |

ALU
RANGE
WARRANTY

30 YEAR
ALUMINIUM
DURABILITY
WARRANTY

20
ALUMINIUM
COLOUR
WARRANTY

Galvanised Steel

Tile Dry Verge (T1) - Steel

| Code | Size | Colour |
|----------|---|------------------------|
| C09GTS | Tile Dry Verge Steel Txt. (T1) 45mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09GT | Tile Dry Verge Steel Txt. (T1) 55mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09GTL | Tile Dry Verge Steel Txt. (T1) 65mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09GTF | Tile Dry Verge Steel Txt. Angle Piece 40 x 60mm x 2.4m / 3m | Blk • Blue/Blk • Brown |
| C09GTJS | Tile Dry Verge Steel Txt. (T1) 45mm Jointer x 70mm | Blk • Blue/Blk • Brown |
| C09GTJ | Tile Dry Verge Steel Txt. (T1) 55mm Jointer x 70mm | Blk • Blue/Blk • Brown |
| C09GTJL | Tile Dry Verge Steel Txt. (T1) 65mm Jointer x 70mm | Blk • Blue/Blk • Brown |
| C09GTC45 | Tile Dry Verge Steel Txt. (T1) 45mm Bell-Cast Jointer x 500mm | Blk • Blue/Blk • Brown |
| C09GTC55 | Tile Dry Verge Steel Txt. (T1) 55mm Bell-Cast Jointer x 500mm | Blk • Blue/Blk • Brown |
| C09GTC65 | Tile Dry Verge Steel Txt. (T1) 65mm Bell-Cast Jointer x 500mm | Blk • Blue/Blk • Brown |

STEEL
RANGE
WARRANTY

20 YEAR
STEEL
DURABILITY
WARRANTY

20 YEAR
STEEL
COLOUR
WARRANTY


bre



✓ BS 8612

✓ BS 5534

NWA
GROUP



Ir. Office: Keenaghan, Kilmacrenan, Letterkenny,
Co. Donegal, Ireland. F92 DW64

T. +353 (0)74 91 39500 F. +353 (0)74 91 39519

E. info@nwa.ie W. www.nwa.ie