



OVER FASCIA VENT

OFV10

TECHNICAL DATA SHEET

Over Fascia Vents are an unobtrusive method of providing ventilation in a range of eaves details, including those without a projecting soffit.

The Over Fascia Ventilator is extremely strong to resist the weight of tiles and crushing by foot traffic. They are lightweight and resistant to both corrosion and rotting. The integral 4mm grill prevents entry of large insects or rodents into the roof space.

Suitable for buildings with or without soffit overhang in new, refurbishments and in buildings with corbelled eaves situations. The use of over-fascia vents allow for the use of shallower fascia boards.

Over Fascia Vents must be used with Rafter Ventilators to provide a continuous ventilation path from roof void to outside.

- Quick and easy to install.
- Lightweight and durable.
- Does not affect slating/tiling process.

The OFV10 has a unique low profile design with an overall height of 21mm, for minimum disruption to the eaves detail and allows continuous 10mm ventilation.

These Thysis Over-fascia Ventilation units fit on the fascia providing the following features and specifications:

Material:	Co-Polymer Polypropylene
Overall length:	OVF10-500 - 500mm +/-5mm
	OVF10-1000 - 1000mm +/- 5mm
Overall width:	38mm
Overall height:	21mm
Ventilation:	10,000mm ² / 1.0m
Authority Complies with BS5250:2011	

10mm Over Fascia Vent installed continuously provides ventilation opening of 10,000mm²/m.